



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.






GEORGE ENGELMANN










MISSOURI BOTANICAL CARDEN GEORGE ENGELMANN PARIS





6 copyright reserved cm



MISSIGNA CAREAS PARERS



Man Mang Surro aqueso simplex globosa J. ovala mantles consires obligne avedelis axille lauigens. amleis ventrelibes régistes rettis s. plennique paulo reservis, 2 - 6 bosibullosis ndichelen broiber setiformiber 10-18. ienferioribers longeriber subiale nullig flor bas purpureis sepalis 13 ortiolatis futilis 13-18 stegnis, omniber lineari. Cannolatis arministis meteronatis



September 2, 1861.


The President, Dr. Engelmann, in the chair.

Seven members present.

The following donation to the library was received: Bull. de la Soc. Imper. zool. d'Acclimatation, Paris, No. 7, Juillet, 1861, from the Society.

Mr. Holmes presented from Dr. B. F. Shumard the following skulls from Texas: Felis pardalis, Linn. (Tiger-cat), from Travis Co.; Felis onza, Linn. (Jaguar), from Hays Co., and Dicotyles torquatus (Peccary), from Travis Co.

Dr. Engelmann made some remarks on the temperature and humidity of the past three summer months. June and August were by more than two degrees warmer than the averages for these months, while July was cooler. The quantity of rain for each of these months was below the average



n relity wou e been far e er but t berebro zew yev. Dr. Evans, who, though himself lavoring under an enausting carrhea, allowed himself no rest, but in the triple capacity of physician, nurse and companion, was ever at the bed-side of the sick, administering to their

wants, and encouraging them by his cheering words.

From Fort Pierre, Dr. Evans again visited the Mauvaises Terres, where in a short time he succeeded in obtaining a large collection of the fossil fauna of that region, even more extensive than his former one, and embracing a considerable number of new and interesting species. On his return to the Fort he set about preparing for his long journey, which from the hostility of the Blackfeet and other Indian tribes, together with the difficulties incident to the route, was regarded by the Indian traders as extremely hazardous; hence it was exceedingly difficult to find either guides or hunters willing to accompany him. After much persuasion, however, he succeeded in procuring the services of two hunters and a half-breed guide, they agreeing to go with him as far as the Flathead Village. With this meagre escort he started from Fort Pierre, but scarcely had he reached the borders of the Blackfeet country ere his hunters became alarmed, and unceremoniously left his camp during the night and returned to the Fort. Under these discouraging circumstances a person less courageous than Dr. Evans would have turned back; but difficulties served only to develope the indomitable

MITSSOUTH THE THE PARTY OF THE -GEORGE ENGELMANN PAPERS

copyright reserved cm




^{*} To Dr. Hiram A. Prout is justly due the credit of having first called attention to the existence of such remains in that region by his excellent memoirs of Palæotheroid and other bones, published in Silliman's Journal.

the Cenius Emorge W. 465 Cel Janin State Sommer over globose, all 4 las i Start dusely covere with yellow spring briefles 2-3 lang long many from each pulvilles, of unaquel langth flower short and evide apparelly 12 white Cong and who en shope of the Echenovere. tule ohost, brought fremløven, with a great and Tepel, lower our voy smill solute with for bristles is asily, all other, obvirte; our for the with maked axily nakur spar al Cari of Tube 12-2 Come Con author, and 2's l. Coo, help as words. style thick stronght, 6 lives long, will \$ -10, Tig minte, 46 in



Do. Fourth & Olive Sts. St. Log George Engelmann by







MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





Cer Emingi 465 Vast of steen or branch before me consisting of joint or annel growth, , inch there and 6 inches long. (shoulded eng) with 18 sharp mils, areolee 5-6 Coin distat on Janes mil 40 - 50 spring on each areala, com ming it entirely I all dreeting, extender, more slender in shorten (3-5- ling) finitering stock and Comment a few in we should the Rado City lang tromosish gulderman et last arrolen in gond g spiraly

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS












MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS








M. W. ALEXANDER,


DUTH-EAST CORNER FOURTH AND MARKET STREETS

STUOTIS.


MISSOURI BOTAMICAL GARDEN GEORGE ENGELMANN PAPERS







for the Ring fibre vessels or cells see Schleiden, Anatonie der Carteen Octor 6 1841 pg 364 tab. VIII ny ringfebre vessels here are much longer, not barrelshyd - sings very often i a great many of the in the same plane. I spiral veisels. Besides.




El Alineanna.


Myllander Ech permeters Monor mostly bloom but very fallite - only in brighty 1-1-1- Continue Sunshi aper Capmionin and full of miles in fresh tothe base mater of mit of gover gueth ! with Melonatur Jan Thomas 13 rbs 1, 7 Deam 10 high to her hend at least 5 2 oglandrie. 4x6" sandler fuser. stopelie oglednom gille Dischovi Hong 1 /of the white tt Hildmann dehulstr Pdegphon & nimmens alve a do melonetto MISSOURI

BOTANICAL copyright reserved cm GARDEN MISSOURI BOTANICAL GARDEN


GEORGE ENGELMANN PAPERS








MISSOURI BOTANICAL GARDENT GEORGE ENGELMANN PAPERS



tubo inter 1 lis. mudo stammenter incurvis, filamenter purpure; antheris ovatris longis palest polle. 0.024-31. li d'an [0.026-0.027] itegle e busi vividi Gradssøre I bulet, sepre our stigmentites 3-4 oblins; ereit, s. evertspetali, brevibres purpures.





M. Jonna chrysarantha temenions couleis outulibs 6 straining curvis sådiæliby 16-18 brevissinis. stigment 3 forma phaearanthe anders centrelits 2-4 observis, aprile adriches reiters leviler minations, salicles, milles s. 8-14 stignalet, 4. a gendrispine ardeis 4 Tenniorobes, sud'eleles 6. bispine avulis 2 savis 3-4, sobustitulis suddites longitistes



